



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/735,732	12/16/2003	Atsushi Tokuda	740756-2684	3635

22204 7590 08/02/2006

NIXON PEABODY, LLP
401 9TH STREET, NW
SUITE 900
WASHINGTON, DC 20004-2128

EXAMINER

GARRETT, DAWN L

ART UNIT PAPER NUMBER

1774

DATE MAILED: 08/02/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	10/735,732	TOKUDA ET AL.	
	Examiner	Art Unit	
	Dawn Garrett	1774	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 27 June 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-15 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-15 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 7-27-2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.


Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This Office action is responsive to the request for reconsideration submitted June 27, 2006. Claims 16-19 are canceled. Claims 1-15 are pending. The species under consideration remain as the following:

Polythiophene as the conjugate polymer and Formula (2) as the electron-accepting compound.



Claims 1-15 read upon the elected species and are currently under consideration.

2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

3. Claims 1-7 and 13-15 are again rejected under U.S.C. 102(e) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over Heuer et al. (US 6,368,731). Heuer et al. teaches electroluminescent assemblies comprising a substrate, an anode, an electroluminescent element and a cathode (see abstract). The electroluminescent element contains one or more zones selected from the group consisting of hole injection zone, hole transport zone, electroluminescent zone, electron transport zone, and electron injection zone (see abstract). Heuer et al. teaches the hole injection zone is preferably comprised of an uncharged or cationic polythiophene (see col. 2, lines 32-56). The polythiophenes are used in the cationic form by treatment of neutral thiophenes with oxidizing agents (see col. 11, lines 17-21). The oxidized polythiophenes read upon the "conjugate polymer that ...has been oxidized" in claim 1. It does not appear that claim 1 requires the electron-accepting compound, such as formula (2) of claim 7, be present in the final product. Claim 1 only requires that the polythiophene is oxidized.

Art Unit: 1774

Heuer et al. appears to clearly disclose a final electroluminescent device product with an oxidized polythiophene as required. In the alternative that Heuer et al. is not considered sufficient to anticipate the final product, it would have been obvious to one of ordinary skill in the art to have selected an oxidized, cationic polythiophene for the hole injection zone, because Heuer et al. teaches that such a polythiophene is desirable as the hole injecting material. Claims 13 and 14 are considered to be product-by-process type claims and Heuer et al. is deemed to disclose the final product as required (see MPEP 2113).

4. Claims 8-11 are again rejected under 35 U.S.C. 103(a) as obvious over Heuer et al. (US 6,368,731) in view of Yang et al. (US 5,723,873). Heuer et al. is relied upon as set forth above. Heuer et al. teaches the zones or zones located between the hole injection zone and the cathode can also assume a plurality of functions, i.e. one zone can contain, for example, hole-injecting, hole-transporting, electroluminescent, electron-transporting and/or electron injecting substances (see col. 2, lines 63-67). Yang et al. teaches in analogous art “electron injection layer” and “hole blocking layer” are synonymous terms used in the art (see col. 16, line 2). It would have been obvious to one of ordinary skill in the art at the time of the invention to have included an electron injection zone (hole blocking layer) in the Heuer et al. device, because Heuer et al. teaches such a functional zone may be included in the device.

5. Claim 12 is again rejected under 35 U.S.C. 103(a) as obvious over Heuer et al. (US 6,368,731) in view of Ara (US 6,613,454). Heuer et al. teaches inclusion of a light emitting material in the electroluminescent layer (see col. 21, lines 16-19 and col. 21, lines 47-53), but fails to disclose specifically a triplet-excitation type light emitting material. Ara teaches in analogous art the use of light emitting layers for electroluminescent devices exhibiting triplet-

Art Unit: 1774

excitation (see col. 7, lines 38-45). It would have been obvious to one of ordinary skill in the art at the time of the invention to have selected a light emitting layer exhibiting triplet excitation as taught by Ara for the light emitting layer (electroluminescent layer) of the Heuer et al. device, because Ara teaches such a layer is known in the art and one would expect the light emitting layer material to be similarly useful as light emitting material in the Heuer et al. device.

6. Claims 1-7 and 13-15 are again rejected under 35 U.S.C. 103(a) as obvious over Heuer et al. (US 6,368,731) in view of Lidberg et al. Proceedings of SPIE - The International Society for Optical Engineering (1995), 2397 (Optoelectronic Integrated Circuit Materials, Physics, and Devices), p. 633-42. Heuer et al. teaches electroluminescent assemblies comprising a substrate, an anode, an electroluminescent element and a cathode (see abstract). The electroluminescent element contains one or more zones selected from the group consisting of hole injection zone, hole transport zone, electroluminescent zone, electron transport zone, and electron injection zone (see abstract). Heuer et al. teaches the hole injection zone is preferably comprised of an uncharged or cationic polythiophene (see col. 2, lines 32-56). The polythiophenes are used in the cationic form by treatment of neutral thiophenes with oxidizing agents (see col. 11, lines 17-21). The oxidized polythiophenes read upon the "conjugate polymer that ...has been oxidized" in claim 1. It does not appear that claim 1 requires the electron-accepting compound, such as formula (2) of claim 7, be present in the final product; however, in the event that the electron-accepting compound does become part of the conjugate polymer material, Lidberg et al. teaches polythiophenes doped with electron acceptors such as 7,7,8,8-tetracyanoquinodimethane as oxidized conductive polymers (see abstract, Figure 1, and page 635, first line of first paragraph under 2.1 heading). The oxidized polymers are taught to be applicable to applications such as

Art Unit: 1774

light emitting diodes (see page 633, second and third lines of text under “Introduction” heading).

It would have been obvious to one of ordinary skill in the art to have selected the oxidized polythiophenes taught by Lidberg et al. for the Heuer et al. device, because Lidberg teaches the polymers are suitable for a light emitting diode and Heuer et al. teaches oxidized polythiophenes are desirable as the hole injecting material of the Heuer et al. devices. Claims 13 and 14 are considered to be product-by-process type claims and Heuer et al. is deemed to disclose the final product as required (see MPEP 2113).

7. Claims 8-11 are again rejected under 35 U.S.C. 103(a) as obvious over Heuer et al. (US 6,368,731) in view of Lidberg et al. Proceedings of SPIE - The International Society for Optical Engineering (1995), 2397 (Optoelectronic Integrated Circuit Materials, Physics, and Devices), p. 633-42 in further view of Yang et al. (US 5,723,873). Heuer et al. and Lidberg are relied upon as set forth above. Heuer et al. teaches the zone or zones located between the hole injection zone and the cathode can also assume a plurality of functions, i.e. one zone can contain, for example, hole-injecting, hole-transporting, electroluminescent, electron-transporting and/or electron injecting substances (see col. 2, lines 63-67). Yang et al. teaches in analogous art “electron injection layer” and “hole blocking layer” are synonymous terms used in the art (see col. 16, line 2). It would have been obvious to one of ordinary skill in the art at the time of the invention to have included an electron injection zone (hole blocking layer) in the Heuer et al. device, because Heuer et al. teaches such a functional zone may be included in the device.

8. Claim 12 is again rejected under 35 U.S.C. 103(a) as obvious over Heuer et al. (US 6,368,731) in view of Lidberg et al. Proceedings of SPIE - The International Society for Optical Engineering (1995), 2397 (Optoelectronic Integrated Circuit Materials, Physics, and Devices), p.

Art Unit: 1774

633-42 in further view of Ara (US 6,613,454). Heuer et al. and Lidberg are relied upon as set forth above. Heuer et al. teaches inclusion of a light emitting material in the electroluminescent layer (see col. 21, lines 16-19 and col. 21, lines 47-53), but fails to disclose specifically a triplet-excitation type light emitting material. Ara teaches in analogous art the use of light emitting layers for electroluminescent devices exhibiting triplet-excitation (see col. 7, lines 38-45). It would have been obvious to one of ordinary skill in the art at the time of the invention to have selected a light emitting layer exhibiting triplet excitation as taught by Ara for the light emitting layer (electroluminescent layer) of the Heuer et al. device, because Ara teaches such a layer is known in the art and one would expect the light emitting layer material to be similarly useful as light emitting material in the Heuer et al. device.

Response to Arguments

9. Applicant's arguments filed June 27, 2006 have been fully considered but they are not persuasive.

Applicant argues with regard to Heuer et al., "While the Heuer et al. patent describes a hole injection zone including a cationic polythiophene, it does not appear to describe or suggest a hole injection layer oxidized by an electron-accepting organic compound. Moreover, Heuer et al. does not suggest that an organic compound electron acceptor is used in a hole injection layer to reduce the damage of a thin film and an anode...." As stated in the rejection over Heuer et al., the polythiophenes disclosed in Heuer are oxidized (see col. 11, lines 17-21). As previously stated in the rejection set forth in paragraph 4 of the last Office action, it does not appear that claim 1 requires the electron-accepting compound, such as formula (2) of claim 7, be present in the final product. Claim 1 only requires that the polythiophene is oxidized.

Art Unit: 1774

The rejection over Heuer et al. in view of Lidberg et al. is included in the alternative that the electron-accepting compound must be present in the final product. Lidberg et al. teaches polythiophenes doped with electron acceptors for light emitting diodes (see pages 633 and 635). One would expect the polythiophenes doped with electron acceptors for light emitting diodes to be suitable for the polythiophenes of the Heuer et al. devices.

Applicant argues neither Heuer et al. nor Lidberg et al. recognize the advantage of reducing damage of the anode. The prior art need not recognize all the advantages of a disclosed product.

In response to applicant's argument that the examiner's conclusion of obviousness is based upon improper hindsight reasoning, it must be recognized that any judgment on obviousness is in a sense necessarily a reconstruction based upon hindsight reasoning. But so long as it takes into account only knowledge which was within the level of ordinary skill at the time the claimed invention was made, and does not include knowledge gleaned only from the applicant's disclosure, such a reconstruction is proper. See *In re McLaughlin*, 443 F.2d 1392, 170 USPQ 209 (CCPA 1971).

Conclusion

10. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period

Art Unit: 1774

will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dawn Garrett whose telephone number is (571) 272-1523. The examiner can normally be reached Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rena Dye can be reached at (571) 272-3186. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Dawn Garrett
Primary Examiner
Art Unit 1774